

Revision date : 2021/12/07 Version: 4.0

Page: 1/11 (30771655/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

960 Fruit Fly Monitor

Recommended use of the chemical and restriction on use

Recommended use*: Chemical

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Synonyms: Not available

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Corr./Irrit.	1A	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation

Label elements

Pictogram:

Revision date : 2021/12/07 Version: 4.0

Page: 2/11 (30771655/SDS_GEN_US/EN)

	(00111000/020_0211_00/2
Pre-	
Signal Word: Danger	
Hazard Statement: H314	Causes severe skin burns and eye damage.
Precautionary Statemen P280	ts (Prevention): Wear protective gloves, protective clothing and eye protection or face protection.
P260 P264	Do not breathe mist or vapour. Wash contaminated body parts thoroughly after handling.
Precautionary Statemen P305 + P351 + P338	
P310 P303 + P361 + P353	Immediately call a POISON CENTER or physician. IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P330 + P331 P363	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Wash contaminated clothing before reuse.
Precautionary Statemen P405	ts (Storage): Store locked up.
Precautionary Statemen P501	ts (Disposal): Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Acetic acid

CAS Number: 64-19-7 Content (W/W): 3.0 - 7.0% Synonym: Acetic acid; Glacial acetic acid

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

Revision date : 2021/12/07 Version: 4.0

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Revision date : 2021/12/07

Version: 4.0

Page: 4/11 (30771655/SDS GEN US/EN)

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

cetic acid	ACGIH, US:	STEL value 15 ppm ;
	ACGIH, US:	TWA value 10 ppm ;
	OSHA Z1:	PEL 10 ppm 25 mg/m3;

Advice on system design:

А

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Revision date : 2021/12/07 Version: 4.0

Page: 5/11 (30771655/SDS GEN US/EN)

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour:	liquid vinegar-like, pleasant
Odour threshold: Colour:	Not determined due to potential health hazard by inhalation. light brown clear
pH value:	approx. 2.2 (20 °C) The statements are based on the properties of the individual components.
Melting point:	approx. 0 °C
Boiling point:	approx. 100 °C
Flash point:	No flash point - Measurement made
	up to the boiling point.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this
	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this
	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with
	the intended use.
Autoignition:	Based on the water content the
0	product does not ignite.
Vapour pressure:	23 hPa
	(20 °C)
Density:	approx. 1.0 g/cm3
	(approx. 20 °C)
Vapour density:	1

Revision date : 2021/12/07 Version: 4.0	Page: 6/11 (30771655/SDS_GEN_US/EN)
Partitioning coefficient n- octanol/water (log Pow):	The statements are based on the properties of the individual components.
Information on: Acetic acid	
Partitioning coefficient n- octanol/water (log Pow):	-0.17 (25 °C) Literature data.
Thermal decomposition:	carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic: Solubility in water: Evaporation rate: Other Information:	not determined dispersible, The data given are those of the active ingredient. not applicable If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

Decomposition products: Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Revision date : 2021/12/07 Version: 4.0

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: If used as intended, this product is not expected to present a physical or health hazard.

Oral

Type of value: ATE Value: > 5,000 mg/kg

Information on: Acetic acid Type of value: LD50 Species: rat (male) Value: 3,310 mg/kg

Inhalation Type of value: ATE Value: > 20 mg/l Determined for vapor

Type of value: ATE Value: > 5 mg/l Determined for mist

Dermal Type of value: ATE Value: > 5,000 mg/kg

Information on: Acetic acid Type of value: LD50 Species: rabbit (no data) Value: 1,060 mg/kg (other) Literature data.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from the properties of the individual components. Skin contact causes irritation. Eye contact causes irritation.

Revision date : 2021/12/07 Version: 4.0

Page: 8/11 (30771655/SDS GEN US/EN)

Information on: Acetic acid Species: rabbit Result: strongly corrosive Method: BASF-Test

Species: rabbit Result: Slightly irritating. Method: similar to OECD guideline 404 Data refer to a diluted aqueous solution of the substance.

<u>Eye</u>

Information on: Acetic acid Species: rabbit Result: Risk of serious damage to eyes. Method: Draize test

Species: rabbit Result: Irritant. Method: similar to OECD guideline 405 Data refer to a diluted aqueous solution of the substance.

Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from the properties of the individual components. There is no evidence of a skin-sensitizing potential.

Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetic acid

Assessment of repeated dose toxicity: After repeated administration the prominent effect is the induction of corrosion.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Revision date : 2021/12/07 Version: 4.0

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Acetic acid LC50 (96 h) > 300.82 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

Aquatic invertebrates

Information on: Acetic acid EC50 (48 h) > 300.82 mg/l, Daphnia magna (OECD Guideline 202, part 1, static) Nominal values (confirmed by concentration control analytics)

Aquatic plants

Information on: Acetic acid EC50 (72 h) > 300.82 mg/l (growth rate), Skeletonema costatum (ISO/DIS 10253, static)

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Acetic acid

Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2021/12/07 Version: 4.0

Bioaccumulation potential

Information on: Acetic acid

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetic acid

The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport

Not classified as a dangerous good under transport regulations

Revision date : 2021/12/07 Version: 4.0

15. Regulatory Information

Federal Regulations

Registration status: Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ	CAS Number	Chemical name
5000 LBS	64-19-7	Acetic acid

State State	regulations

State RTK	CAS Number	Chemical name
NJ	64-19-7	Acetic acid
PA	64-19-7	Acetic acid

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2021/12/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET